

## CLAIMS

1. A multi-speed transmission comprising:

an input shaft;

an output shaft;

5 first, second and third planetary gear sets each having first, second and third members;

said input shaft being continuously interconnected with a member of said planetary gear sets, and said output shaft being continuously interconnected with another member of said planetary gear sets;

10 a first interconnecting member continuously interconnecting said first member of said first planetary gear set with said first member of said second planetary gear set;

a second interconnecting member continuously interconnecting said second member of said first planetary gear set with said second member of said second planetary gear set;

15 a third interconnecting member continuously interconnecting said first member of said third planetary gear set with a stationary member, said first member of said third planetary gear set being different from said members of said planetary gear sets continuously interconnected with said input shaft and output shaft, respectively;

20 a first torque-transmitting mechanism selectively interconnecting a member of said first planetary gear set with a member of said third planetary gear set;

a second torque-transmitting mechanism selectively interconnecting a member of said first planetary gear set with a member of said third planetary gear set, the pair of members interconnected by said first torque-transmitting mechanism being different from the pair of members interconnected by said second torque-transmitting mechanism;

25 a third torque-transmitting mechanism selectively interconnecting a member of said second planetary gear set with a member of said third planetary gear set, the pair of members interconnected by said third torque-transmitting mechanism being different from the

pairs of members of said planetary gear sets interconnected by said first and second torque-transmitting mechanisms, respectively;

30                   a fourth torque-transmitting mechanism selectively interconnecting a member of said second planetary gear set with a member of said third planetary gear set, the pair of members interconnected by said fourth torque-transmitting mechanism being different from the pairs of members of said planetary gear sets interconnected by said first, second and third torque-transmitting mechanisms, respectively;

35                   a fifth torque-transmitting mechanism selectively interconnecting a member of said first planetary gear set with said stationary member, said member of said first planetary gear set continuously interconnected with said stationary member by said fifth torque-transmitting mechanism being different from said members of said planetary gear sets interconnected with said input shaft and said output shaft, respectively;

40                   a sixth torque-transmitting mechanism selectively interconnecting another member of said first planetary gear set with said stationary member, said member of said first planetary gear set interconnected with said stationary member by said sixth torque-transmitting mechanism being different from said members of said planetary gear sets continuously interconnected with said input shaft and said output shaft, respectively; and

45                   a seventh torque-transmitting mechanism selectively interconnecting a member of said second planetary gear set with said stationary member, said member of said second planetary gear set interconnected with said stationary member by said seventh torque-transmitting mechanism being different from said members of said planetary gear sets continuously interconnected with said input shaft and said output shaft, respectively;

50                   said torque-transmitting mechanisms being engaged in combinations of two to establish at least eight forward speed ratios and at least one reverse speed ratio between said input shaft and said output shaft.

2. The transmission defined in claim 1, wherein said first, second, third and fourth torque-transmitting mechanisms comprise clutches, and said fifth, sixth and seventh torque-transmitting mechanisms comprise brakes.

3. The transmission defined in claim 1, wherein planet carrier assembly members of each of said planetary gear sets are single-pinion carriers.

4. The transmission defined in claim 1, wherein at least one planet carrier assembly member of said planetary gear sets is a double-pinion carrier.

5. A multi-speed transmission comprising:

an input shaft;

an output shaft;

5 a planetary gear arrangement having first, second and third planetary gear sets, each planetary gear set having first, second and third members;

said input shaft being continuously interconnected with a member of said planetary gear sets, and said output shaft being continuously interconnected with another member of said planetary gear sets;

10 a first interconnecting member continuously interconnecting said first member of said first planetary gear set with said first member of said second planetary gear set;

a second interconnecting member continuously interconnecting said second member of said first planetary gear set with said second member of said second planetary gear set;

15 a third interconnecting member continuously interconnecting said first member of said third planetary gear set with a stationary member, said first member of said third planetary gear set being different from said members of said planetary gear sets continuously interconnected with said input shaft and said output shaft, respectively; and

seven torque-transmitting mechanisms for selectively interconnecting said  
20 members of said planetary gear sets with a stationary member or with other members of said  
planetary gear sets, said seven torque-transmitting mechanisms being engaged in combinations  
of two to establish at least eight forward speed ratios and at least one reverse speed ratio between  
said input shaft and said output shaft.

6. The transmission defined in claim 5, wherein a first of said seven torque-  
transmitting mechanisms is operable for selectively interconnecting a member of said first  
planetary gear set a member of said third planetary gear set.

7. The transmission defined in claim 5, wherein a second of said seven  
torque-transmitting mechanisms is operable for selectively interconnecting a member of said first  
planetary gear set with a member of said third planetary gear set, the pair of members  
interconnected by said second torque-transmitting mechanism being different from a pair of  
5 members of said planetary gear sets interconnected by a first of said seven torque-transmitting  
mechanisms.

8. The transmission defined in claim 5, wherein a third of said seven torque-  
transmitting mechanisms is operable for selectively interconnecting a member of said second  
planetary gear set with a member of said third planetary gear set, the pair of members  
interconnected by said third torque-transmitting mechanism being different from pairs of  
5 members of said planetary gear sets interconnected by a first and a second of said seven  
torque-transmitting mechanisms, respectively.

9. The transmission defined in claim 5, wherein a fourth of said seven  
torque-transmitting mechanisms is operable for selectively interconnecting a member of said  
second planetary gear set with a member of said third planetary gear set, the pair of members  
interconnected by said fourth torque-transmitting mechanism being different from pairs of

5 members of said planetary gear sets interconnected by a first, a second and a third torque-transmitting mechanism of said seven torque-transmitting mechanisms, respectively.

10. The transmission defined in claim 5, wherein a fifth of said seven torque-transmitting mechanisms is operable for selectively interconnecting a member of said first planetary gear set with said stationary member, said member of said first planetary gear set interconnected with said stationary member by said fifth torque-transmitting mechanism being  
5 different from said members of said planetary gear sets continuously interconnected with said input shaft and said output shaft, respectively.

11. The transmission defined in claim 5, wherein a sixth of said seven torque-transmitting mechanisms is operable for selectively interconnecting a member of said first planetary gear set with said stationary member, said member of said first planetary gear set interconnected with said stationary member by said sixth torque-transmitting mechanism being  
5 different from said members of said planetary gear sets continuously interconnected with said input shaft and said output shaft, respectively.

12. The transmission defined in claim 5, wherein a seventh of said seven torque-transmitting mechanisms is operable for selectively interconnecting a member of said second planetary gear set with said stationary member, said member of said second planetary gear set interconnected with said stationary member being different from said members of said  
5 planetary gear sets continuously interconnected with said input shaft and said output shaft, respectively.

13. The transmission defined in claim 5, wherein planet carrier assembly members of each of said planetary gear sets are single-pinion carriers.

14. The transmission defined in claim 5, wherein at least one planet carrier assembly member of said planetary gear sets is a double-pinion carrier.